
POLL PAD training guide

THE STATE OF NEW YORK





POLL PAD

index

- opening procedures
- processing voters
- closing procedures
- help desk

meet the

POLL PAD

(UNIT WITH PRINTER - If not using a printer proceed to page 6)







- 1 Power Button
- 2 Home Button
- 3 Poll Pad & Plastic Shell

- 4 Stand Arm
- **5** Poll Pad Base
- 6 Camera
- **7** ID Tray





- Green Case
- Poll Pad
- 3 Poll Pad Base (stand arm located under base)
- 4 Lightning to USB Cable & USB Power Adapter
- 5 (2) Stylus
- 6 ID Tray
- Printer & Cords
- Screen Cloth

meet the POSTER OF THE POSTER

(NO PRINTER UNIT)








- 1 Power Button
- 2 Home Button
- 4 Stand Arm 5
- **5** Poll Pad Base
- 3 Poll Pad & Plastic Shell
- 6 Camera
- **7** ID Tray





- 1 Green Case
- 2 Poll Pad (stand arm located on backside)
- **Stand Base**
- 4 Lightning to USB Cable & USB Power Adapter
- 5 (2) Stylus
- 6 ID Tray
- 7 Screen Cloth (located under Stand Base)










(If not using a printer please proceed to Step 6)



1 LOCATE PRINTER

Open the transport case and remove printer, adapter and power cord.



2 CONNECT TO POWER ADAPTER

Connect the power cord to the power adapter.

NOTE: Ensure secure connection



OUNTER

Plug the connector into the back of the printer.

NOTE: Ensure secure connection



O PLUG PRINTER INTO OUTLET

Plug printer into a power source.

NOTE: Make sure your check-in table is close to the wall outlet or you have an extension cord or power strip available.



5 TURN PRINTER ON

The ON/OFF switch is located on the left side of the printer. If you do not see a green power light on the front panel, check the power cord connections and make sure the outlet has power.

NOTE: If you see a red error light refer to page 30.



6 STAND ARM

To attach the stand arm to the Poll Pad shell, press the buttons on the side of the arm and place in circular opening. Release buttons and rotate the arm until you hear a click.

NOTE: Sticker with jurisdiction name and number will be on top.



OCONNECT ARM TO BASE

Take stand arm and place into Poll Pad base. Once attached rotate Poll Pad making sure the camera is on top, oriented in a landscape position.

NOTE: Sticker with jurisdiction name and number will be on top.



OUTPUTATTACH PHOTO ID TRAY

Attach the ID tray to the Poll Pad using the mounting clip. Once attached, insert stylus into the holding slot. Adjust the Poll Pad to a suitable angle.



O CONNECT POLL PAD TO POWER


Plug the lightning connector into the Poll Pad, then plug the power adapter into a power source.



POWER ON POLL PAD


Press the power button on the top left edge of the unit until you see the Apple icon, then release. The Poll Pad will power on, and the Poll Pad application with launch automatically.

NOTE: Poll Pad will power on if connected to AC power



10 HOME SCREEN CHECKLIST

- Name of Jurisdiction
- Election Name and Date
- Polling Place Location is Correct (Most Important)
- Check-in Count = 0
- Battery Life is Close to Full (90% or greater)




(IF USING A PRINTER)

A green printer icon on the Poll Pad means you are connected to the printer.

Press the green printer icon and select 'Print Test Receipt' and a sample receipt will print. You are now ready to sign in and process voters.

OPENING PROCEDURES | POLL PAD ICONS



PRINTER ICONS & COLORS (IF USING A PRINTER)



Poll Pad is paired with the printer. A receipt will print out for checked-in voters and those who are in the wrong precinct.



Poll Pad recognizes the printer and is currently in the process of pairing with the device.



Poll Pad is not paired with the printer. Confirm printer is turned on. Select the printer icon, followed by Pair and Connect.



MULTI-PEER ICONS & COLORS



Poll Pad is currently connected and synchronizing with the other poll site Poll Pads.



The number inside of the blue circle indicates the number of poll site units the Poll Pad is connected to.



Poll Pad recognizes the presence of other poll site Poll Pads but is not connected or synchronizing with these units.



The Poll Pad is currently disconnected and not synchronizing with the other poll site Poll Pads. CONTINUE TO PROCESS VOTERS. Contact the Coordinator.



CLOUD SYNC ICONS & COLORS




Poll Pad is currently connected and synchronizing with the central election database.




 $\operatorname{Poll}\operatorname{Pad}$ is in the process of connecting to the central election database.



The Poll Pad is currently disconnected and not synchronizing with the other poll site Poll Pads. CONTINUE TO PROCESS VOTERS. Contact the Coordinator.




PROCESSING VOTERS | SEARCH BY MANUAL ENTRY




O SEARCH BY NAME

Press **Manual Entry** to locate the voter by using his or her first and last name.



2 ENTER VOTER'S NAME

Use the on-screen keyboard to enter the first three (3) letters of the voters last and first name, then press **SEARCH**.




SELECT VOTER'S RECORD

Records matching the search criteria display on screen. Locate the voter's record and verify it does not contain any exceptions, then select the voter by touching his or her record.

NOTE: Search results show both in-precinct and out of precinct voters. Out of precinct voters display in gray with an indicator that reads "Wrong Precinct."

PROCESSING VOTERS | SEARCH BY MANUAL ENTRY




O VOTER CONFIRMATION

Screen displays voter's information. Verify information, if all is correct press **ACCEPT**.



5 VOTER SIGNATURE


Rotate the Poll Pad to the voter to complete their oath and capture signature. Once complete, rotate back and press **DONE SIGNING**.



O POLL WORKER CONFIRMATION

Poll worker confirmation screen will appear.
Poll worker to verify signature and confirm all information is correct. If correct, initial and press **SUBMIT**.


PROCESSING VOTERS | SEARCH BY MANUAL ENTRY



OPPOCESSED VOTER

Good Job! You successfully processed the voter. Follow polling place protocol to direct voter to next polling station.


PROCESSING VOTERS | ID REQUIRED



O LOOK UP VOTER

Lookup the voter's record. You'll notice their record contains a status that reads "ID Required." Press voter record.





O FOLLOW PROMPT


A prompt will appear, follow written instructions. If the voter has a valid form of identification, press **Valid ID**.



3 VOTER CONFIRMATION


Screen displays voter's information. Verify information, if all is correct press **ACCEPT**.

PROCESSING VOTERS | ID REQUIRED




40 VOTER SIGNATURE

Rotate screen to capture voter signature. Once complete, rotate back and press **DONE SIGNING**.



5 POLL WORKER CONFIRMATION


Poll worker confirmation screen will appear.
Poll worker to verify signature and confirm all information is correct. If correct, initial in provided field then press **SUBMIT**.



OPPOCESSED VOTER


Good Job! You successfully processed the voter. Follow polling place protocol to direct voter to next polling station.

PROCESSING VOTERS | AFFIDAVIT BALLOT




O LOOK UP VOTER

Lookup the voter's record using either Scan Barcode or Manual Entry instructions.



2 LOCATE VOTER'S RECORD AND READ PROMPT


A prompt will appear, follow written instructions to process by affidavit ballot press **ISSUE AFFIDAVIT BALLOT**.



3 FOLLOW PROMPT


An affidavit banner will appear across the top of the screen. Verify voter information and complete check-in process.

PROCESSING VOTERS | INACTIVE VOTER



10 LOOK UP VOTER


Lookup the voter's record using either Scan Barcode or Manual Entry instructions.



2 LOCATE VOTER'S RECORD AND READ PROMPT

Lookup the voter's record. You'll notice their record contains a status that reads "Inactive." Press voter record.


Inactive



FOLLOW PROMPT


Read the instructions on the prompt and offer the voter an affidavit ballot.

PROCESSING VOTERS | INACTIVE VOTER




O VOTER CONFIRMATION

Screen displays voter's information. Verify information, if all is correct press **ACCEPT**.



10 POLL WORKER CONFIRMATION


Poll worker confirmation screen will appear.
Poll worker to confirm all information is correct.
If correct, initial in provided field then press
SUBMIT.



OPPOCESSED VOTER


Good Job! You successfully processed the voter. Follow polling place protocol to direct voter to next polling station.

PROCESSING VOTERS | WRONG LOCATION



O LOOKUP VOTER


Lookup the voter's record using either Scan Barcode or Manual Entry instructions.



2 LOCATE VOTER'S RECORD

If the voter is at the wrong polling location, their record will be highlighted in gray and contain a status that reads "Wrong Location." Touch voter record.

Wrong Location



3 FOLLOW PROMPT


A popup will appear, follow written instructions.

O PROVIDE DIRECTIONS

A popup will appear reading, "(Voter's Name) is in the Wrong Location." Correct polling location name and address will be provided. Direct voter to correct polling location by Text or Print. Press **GO BACK** then **START OVER**.


NOTE: Mapping and Text features are only available if using connectivity in polling location.

PROCESSING VOTERS | ADVANCED SEARCH




OVOTER NOT FOUND

If Manual Entry has been used to find a voter, and he or she is still not found, a pop-up will appear reading, **No Records Found**. Press **OK** to go back to Voter Lookup.



O ADVANCED SEARCH


Once back on the Voter Lookup Screen, press **ADVANCED SEARCH**. When Advanced Search bar appears, press **RESET**.



SEARCH BY:

Lookup voter by using **DATE OF BIRTH (DOB)**, **ADDRESS, LICENSE NUMBER, VOTER ID**, etc., press **DONE** then **SEARCH**. If voter is found using Advanced Search, follow same protocol as manual entry to process voter.

PROCESSING VOTERS VOTER REQUIRES ASSISTANCE / CHALLENGE




O VOTER ASSISTANCE / CHALLENGE

If a voter requires assistance or is challenged, press either the Assistance Required box or Challenge Voter box found on the Poll Worker Confirmation page.

NOTE: For Assistance Required go to Step 2. For Challenge Voter go to Step 3.


Challenge Voter

Assistance Required



2 ASSISTANCE REQUIRED


Enter the assister's name and address. Instruct the assistant to read the Assistance Required Oath and sign on the signature line. Once signed, poll worker presses **CONTINUE**. Poll worker to complete voter check-in process.



3 VOTER IS CHALLENGED

The Challenge Oath and Challenge Reason drop down box will appear on the screen. Choose the reason for the Challenge. Instruct voter to read Challenge Oath and have the voter sign on the signature line. Once signed, poll worker presses **CONTINUE**. Poll worker to complete voter checkin process.

PROCESSING VOTERS SEARCH BY SCANNING VOTER NOTIFICATION CARD



VERIFY VOTER'S INFO


If the voter presents a Voter Notification Card, start the check-in process by touching **Scan Barcode.**



SCAN VOTER'S ID

A live image of the Photo ID Tray displays on screen. Place his or her card (with the barcode facing the camera) onto the ID Tray.


NOTE: If the camera is unable to scan the voter's card or if it is not placed onto the holder within five seconds, the Poll Pad will display "Barcode Not Found." If this occurs find the voter using the manual search method.



3 VOTER CONFIRMATION

Verify information. If all is correct, press **ACCEPT** and continue the check-in process.

PROCESSING VOTERS | SPOILED BALLOT




LOOK UP VOTER

Look up the voter's record. Once located you will notice the record is shaded green and is marked as **Voted**.

Press on the record and read the prompt in its entirety. To spoil ballot press **SPOIL BALLOT AND ENTER PASSWORD**.


NOTE: Password is 1234



2 SELECT SPOIL BALLOT

Banner will read **Spoil Ballot**. Choose the ballot(s) to spoil. Choose reason to spoil (Ex. Voter Error).

NOTE: You will notice Spoiled Ballots Remaining Count will decrease for each ballot that is spoiled. Maximum number is 3.



3 SPOIL BALLOT

Press **SPOIL BALLOT** to complete the process.

CLOSING PROCEDURES

CLOSING PROCEDURES | SECURE POLL PAD SUPPLIES



POWER OFF & UNPLUG PRINTER (IF USING A PRINTER)

Power off the printer and unplug from outlet, disconnect printer cable from transformer box and printer.


NOTE: Keep Poll Pad powered ON



FOLD STAND ARM

After disconnecting hardware from the Poll Pad, place components back in carrying case. Once the stand arm has been removed from the Poll Pad and stand base, fold the stand arm backwards to fit in the case.

NOTE: Keep Poll Pad powered ON



POWER OFF POLL PAD

Turn off Poll Pad by holding the power button and the home button (pictured) simultaneously until the screen goes black. Place Poll Pad in the carrying case.

CLOSING PROCEDURES | SECURE POLL PAD SUPPLIES





Disassemble the Poll Pad and return the supplies to the Poll Pad case.

Close the lid and secure.

- O Green Case
- 2 Poll Pad
- 3 Poll Pad Base
- Power Cube and Cord
- **5** (2) Stylus
- 6 Photo ID Tray
- Poll Pad Screen Cloth
- Printer (and Cords)
- Stand Arm

PACK POLL PAD CASE (Without Printer)



Disassemble the Poll Pad and return the supplies to the Poll Pad Case.

Close the lid and secure.


- Green Case
- 2 Poll Pad
- 3 Poll Pad Base
- Power Cube and Cord
- **5** (2) Stylus
- O Photo ID Tray
- 7 iPad Screen Cloth
- Stand Arm

RETURN SUPPLIES

Return Poll Pad case to the Election's office on election night, along with other precinct supplies.

NOTE: To ensure accuracy, remember to place the Poll Pad supplies in the appropriate case/tote.

HELP DESK



CHARGING POLL PAD

- Plug USB end of power cable into power cube
- 2 Plug power cube into an AC wall outlet
- 3 Plug power cable into Lightning Connector on Poll Pad
- 4 Wait about five minutes for the Poll Pad to charge
- **5** Once there is sufficient power, Poll Pad will auto power on
- Resume normal operations

NOTE: To confirm your unit is charging, verify battery icon is green and lightning bolt is displayed.



OPENING POLL PAD

- If application does not automatically launch when powered on, touch the Poll Pad App at the bottom of the Home Screen
- 2 Verify the correct homepage displays on screen



iOS SOFTWARE UPDATE

DO NOT perform a software update on the Poll Pad. In the unlikely event that an iOS update prompt displays on the device, perform the following steps:

- Touch Later from the list of on screen options
- 2 Press the Home button and verify Poll Pad app remains open

HELP DESK



POLL PAD SCREEN IS UNRESPONSIVE

- Unplug unit from power source (electrical outlet, battery, etc.)
 If the Poll Pad screen is unresponsive, perform the following steps:
- Hold down the Sleep/Wake and Home buttons simultaneously
- 3 Release both buttons once the Apple logo displays on screen
- After application launches, return to previous activity






NOT PRINTING / STOPS PRINTING (IF USING A PRINTER)

- Make sure the printer is turned 'ON'
- 2 Confirm the printer is plugged into outlet and cords are securely connected
- 3 Check paper is installed correctly
- Onfirm connection with Poll Pad (green icon)



CHANGING PAPER (IF USING A PRINTER)

- Open printer
- Reload paper with the paper flap toward you, feeding from the bottom/underneath roll
- 3 Close and Print Test Receipt



ELECTION DAY | POLL PAD GUIDE | THE STATE OF NEW YORK

