

CATTARAUGUS COUNTY HEALTH DEPARTMENT



1 Leo Moss Drive, Olean, NY 14760, Tel. (716)373-8050, Fax (716) 701-3737

Established 1923

Kevin D. Watkins, M.D., MPH, Public Health Director

Gilbert N. Witte, M.D.
Medical Director

Colette Lulay-Pound
Administrative Officer

****For Immediate Release****

June 6, 2020

Cattaraugus County Health Department was notified of its seventy-third case of COVID-19. The reporting laboratory was Wadsworth Center-Biggs Laboratory, Albany, NY. The department's active positive COVID-19 caseload is now ten as there are fifty-nine residents who have recovered from COVID-19.

The latest case is a female resident who resides in the southeast quadrant of the county, who recently returned from several months vacationing in Florida. She has been asymptomatic (no fever, no cough, or no body aches, etc.) and denies any contact with a known positive COVID-19 person. She was tested for COVID-19 on June 4th and her test results on June 6th indicated that she was positive for the virus.

The department has begun a thorough contact tracing investigation for those individuals that she has been in contact with, and the places that she has visited.

We continue to ask our residents to hunker down, and avoid any non-essential travel, especially to areas where there is community wide spread of COVID-19 otherwise, you place your family and other Cattaraugus County residents at risk. If travel is necessary, please wear a face covering while in public and maintain social distancing, at least 6 feet away from other people.

We would like to reiterate that if any resident experience fever, cough, shortness of breath or whole body aches they should contact their health care provider (avoid going directly to an Urgent Care facility, or the Emergency Room before calling).

Finally, in an effort to determine the prevalence of COVID-19 in our community, any resident interested in getting tested, can register for a test at www.cattco.org/covid-19-test or call 716-938-9119 or 716-938-2265.

####

